

Time	AFR WB-		A/F WB-		COOLAN T TEMP (F)	ENGINE RPM (rpm)	IGN TIMING (BTDC)	INTAKE AIR TMP (F)	MAF GM/S (gm/s)	THROTTL	VEHICLE SPEED (mph)
	B1 (AFR)	B2 (AFR)	B1 (V)	B2 (V)						E POS 1 (V- Throttle)	
265861	15.23	15.48	1.59	1.63	190.4	1025	-6	113	60.54	2.06	0
265931	14.14	15.07	1.33	1.56	190.4	1388	-6	113	63.27	2.52	0.9
265991	13.01	13.07	0.9	0.925	190.4	1675	-3	113	71.28	2.81	2
266071	13.71	13.65	1.19	1.165	190.4	1975	4	113	85.34	2.96	2.5
266142	14.62	14.32	1.46	1.38	190.4	2188	10	113	93.98	2.85	3.3
266222	14.64	14.68	1.465	1.475	190.4	2313	13	113	78.79	1.77	3.8
266322	13.86	13.95	1.245	1.275	190.4	2338	15	113	93.92	1.88	5
266382	15.39	15.29	1.615	1.6	190.4	2313	14	113	112.32	2.8	7.8
266442	15.39	15.26	1.615	1.595	190.4	2363	13	113	106.25	2.93	10.6
266522	14.08	14.49	1.315	1.425	190.4	2425	13	113	109.49	2.93	12.7
266592	14.87	14.62	1.52	1.46	190.4	2500	13	113	107.88	2.72	14.6
266682	14.72	14.89	1.485	1.525	190.4	2563	14	113	109.69	2.46	15.7
266752	14.66	14.99	1.47	1.545	190.4	2588	14	113	108.44	2.37	16.4
266822	15.23	14.85	1.59	1.515	190.4	2613	14	113	110.28	2.34	17
266883	15.15	15.02	1.575	1.55	190.4	2613	14	113	110.03	2.32	17.5
266943	14.8	14.99	1.505	1.545	190.4	2613	14	115	110.28	2.3	17.6
267023	15.2	15.04	1.585	1.555	190.4	2600	14	115	110.05	2.3	17.3
267093	14.92	14.85	1.53	1.515	190.4	2588	14	115	112.01	2.32	16.7
267173	14.8	14.99	1.505	1.545	190.4	2550	15	115	112.05	2.35	15.7
267233	15.18	15.04	1.58	1.555	190.4	2513	15	115	111.74	2.44	14.8
267323	15.02	14.94	1.55	1.535	190.4	2525	15	115	109.9	2.5	15.2
267393	15.12	15.04	1.57	1.555	190.4	2563	14	115	107.81	2.42	16.3
267493	14.76	14.89	1.495	1.525	190.4	2613	14	115	110.34	2.34	17.4
267574	15.12	15.04	1.57	1.555	190.4	2638	14	115	110.17	2.3	18.1
267644	14.83	14.99	1.51	1.545	190.4	2663	14	115	112.86	2.28	18.8
267724	15.18	14.94	1.58	1.535	190.4	2700	14	115	112.07	2.26	19.4
267824	15.15	15.15	1.575	1.575	190.4	2750	14	115	116.1	2.22	20.3
267894	15.2	15.23	1.585	1.59	190.4	2813	14	115	120.52	2.21	21.1
267974	15.07	15.39	1.56	1.615	190.4	2875	12	115	124.59	2.21	21.9
268044	15.15	15.04	1.575	1.555	190.4	2925	11	115	129.29	2.21	22.4
268124	14.83	14.62	1.51	1.46	190.4	2988	11	115	131.95	2.23	23
268184	14.97	14.89	1.54	1.525	190.4	3063	10	117	136.3	2.26	23.6
268285	14.76	14.66	1.495	1.47	190.4	3125	9	117	141.16	2.28	24.3

268385	14.64	14.47	1.465	1.42	190.4	3225	8	117	145.94	2.29	25.1
268445	14.78	14.72	1.5	1.485	190.4	3325	7	117	152.16	2.3	25.8
268525	15.18	15.04	1.58	1.555	190.4	3400	7	117	159.01	2.3	26.5
268595	14.52	14.72	1.435	1.485	190.4	3450	7	117	162.63	2.3	27.1
268685	14.62	14.5	1.46	1.43	190.4	3513	7	117	165	2.3	27.7
268785	14.41	14.28	1.405	1.37	190.4	3625	9	117	166.22	2.3	28.5
268885	14.45	14.27	1.415	1.365	190.4	3713	10	117	172.14	2.31	29.3
268946	14.66	14.45	1.47	1.415	190.4	3750	10	117	172.44	2.33	29.8
269026	14.68	14.5	1.475	1.43	190.4	3825	10	117	177.06	2.35	30.4
269126	14.72	14.49	1.485	1.425	190.4	3938	9	117	184.74	2.4	31.2
269186	14.78	14.56	1.5	1.445	190.4	4025	10	117	191.16	2.45	32
269266	14.83	14.58	1.51	1.45	190.4	4063	9	115	201.56	2.53	32.5
269336	14.87	14.58	1.52	1.45	190.4	4113	10	115	202.43	2.58	32.9
269396	15.18	14.7	1.58	1.48	190.4	4188	12	115	210.97	2.71	33.4
269496	15.18	14.74	1.58	1.49	190.4	4325	15	115	220.26	2.97	34.5
269576	14.41	14.23	1.405	1.355	190.4	4413	16	115	225	3.2	35.2
269637	14.43	14.34	1.41	1.385	190.4	4450	18	115	224.19	3.26	35.7
269727	14.21	13.92	1.35	1.265	190.4	4525	18	115	223.12	3.32	36.2
269797	13.86	13.56	1.245	1.13	190.4	4625	19	115	230.09	3.45	37
269887	13.76	13.51	1.21	1.11	190.4	4700	20	113	232	3.57	37.8
269947	13.79	13.54	1.22	1.12	190.4	4775	21	113	234.98	3.65	38.3
270027	13.58	13.48	1.14	1.095	190.4	4863	22	113	237.37	3.78	38.9
270087	13.6	13.55	1.145	1.125	190.4	4963	23	113	239.65	4.08	39.7
270187	12.37	12.38	0.63	0.635	190.4	5063	22	113	235.51	4.12	40.6
270257	12.43	12.37	0.655	0.63	190.4	5113	24	113	234.43	4.11	41.1
270328	12.06	12.62	0.51	0.735	190.4	5163	22	113	240.21	4.11	41.6
270378	11.87	12.42	0.435	0.65	190.4	5238	22	111	236.15	4.1	42.2
270448	12.14	12.09	0.54	0.52	190.4	5300	22	111	241.17	4.1	42.8
270528	12.24	11.72	0.58	0.375	190.4	5375	24	111	231.36	4.1	43.3
270588	11.46	12.12	0.26	0.535	190.4	5400	24	111	231.4	4.1	43.8
270678	12.06	11.94	0.51	0.465	190.4	5463	26	111	225.8	4.1	44.2
270738	12.05	11.62	0.505	0.335	190.4	5500	27	111	229.95	4.1	44.7
270798	12.03	11.68	0.5	0.36	190.4	5550	28	111	223.92	4.1	45
270898	11.87	11.92	0.435	0.455	190.4	5600	27	111	226.16	4.1	45.5
270958	11.46	11.94	0.26	0.465	190.4	5638	27	111	224.05	4.1	45.9
271029	11.51	12.12	0.285	0.535	190.4	5688	27	111	223.24	4.1	46.2
271089	12.15	11.78	0.545	0.4	190.4	5725	27	111	221.74	4.1	46.6

271169	11.93	11.97	0.46	0.475	190.4	5763	27	109	221.38	4.1	47.3
271239	11.92	11.87	0.455	0.435	190.4	5688	5	109	224.27	4.1	47.4
271299	12.18	12.52	0.555	0.69	190.4	5463	6	109	226.92	4.1	48.2
271379	12.5	12.82	0.685	0.82	190.4	4938	-1	109	246.25	4.1	48.6
271449	12.96	12.97	0.88	0.885	190.4	4625	-2	109	230.48	3.96	49.2
271529	12.52	12.82	0.69	0.82	190.4	4113	-6	109	205.65	3.31	49.9
271589	12.46	12.48	0.665	0.675	190.4	3950	14	109	182.21	2.49	50
271669	13.36	12.88	1.045	0.845	190.4	3925	13	109	182.24	2.41	50.4
271740	13.49	13.19	1.1	0.975	190.4	3963	14	109	184.6	2.41	50.8
271800	13.56	13.2	1.13	0.98	190.4	4013	13	109	187.94	2.43	51.3
271900	13.57	13.31	1.135	1.025	190.4	4038	14	109	195.6	2.49	51.9
271980	13.29	13.22	1.015	0.99	190.4	4050	13	109	199.47	2.53	52.3
272040	12.96	12.87	0.88	0.84	190.4	4100	13	109	203.3	2.56	52.7
272130	12.89	12.9	0.85	0.855	190.4	4150	14	109	208.83	2.66	53.3
272190	13.13	12.96	0.95	0.88	188.6	4175	15	109	213.94	2.79	53.9
272290	12.87	12.9	0.84	0.855	188.6	4200	16	109	218.33	2.84	54.3
272380	12.64	12.6	0.74	0.725	188.6	4238	16	109	214.59	2.87	54.8
272451	12.73	12.41	0.78	0.645	188.6	4275	17	109	218.89	2.96	55.3
272531	12.64	12.61	0.74	0.73	188.6	4300	18	109	222.27	3.03	55.6
272631	12.72	12.64	0.775	0.74	188.6	4338	18	109	224.02	3.24	56.1
272691	12.96	12.39	0.88	0.64	188.6	4400	19	109	226.63	3.56	56.7
272771	12.86	12.36	0.835	0.625	188.6	4425	21	109	223.07	3.83	57.3
272831	12.91	12.81	0.86	0.815	188.6	4438	21	109	223.76	4.08	57.6
272901	11.3	11.88	0.18	0.44	188.6	4488	21	109	218.9	4.11	58
273001	11.75	11.3	0.39	0.18	188.6	4563	21	109	222.92	4.12	58.9
273081	11.65	11.48	0.345	0.27	188.6	4563	21	109	223.89	4.11	59.2
273142	12.03	11.6	0.5	0.325	188.6	4600	21	109	222.5	4.1	59.5
273212	11.64	11.64	0.34	0.34	188.6	4638	22	109	227.65	4.1	60
273302	11.88	11.77	0.44	0.395	188.6	4675	22	108	226.11	4.1	60.6
273382	11.46	12.03	0.26	0.5	188.6	4725	23	108	225.96	4.1	61.3
273452	12.1	11.68	0.525	0.36	188.6	4775	23	108	226.37	4.1	61.8
273522	11.89	11.93	0.445	0.46	188.6	4775	24	108	234.79	4.1	62.2
273592	11.88	12.11	0.44	0.53	188.6	4788	24	108	229.95	4.1	62.4
273692	11.82	11.94	0.415	0.465	188.6	4850	24	108	234.96	4.1	63.1
273772	11.84	12.09	0.425	0.52	188.6	4913	24	108	232.29	4.1	63.8
273833	12.06	12.33	0.51	0.615	188.6	4938	24	108	235.11	4.1	64.3
273903	12.47	12.07	0.67	0.515	188.6	4938	21	108	234.38	4.1	64.5

273983	12.24	12.59	0.58	0.72	188.6	4975	21	108	237.36	4.1	64.9
274043	12.55	12.05	0.705	0.505	188.6	5013	21	108	233.54	4.1	65.3
274123	12.64	12.15	0.74	0.545	188.6	5038	20	108	233.84	4.1	65.7
274193	12.56	12.09	0.71	0.52	188.6	5075	20	108	232.27	4.1	66.3
274293	12.42	11.94	0.65	0.465	188.6	5113	21	108	230.01	4.1	66.7
274383	12.05	12.23	0.505	0.575	188.6	5138	21	108	235.22	4.1	67.2
274453	11.9	12.33	0.45	0.615	188.6	5200	23	108	233.99	4.1	67.7
274514	12.28	11.75	0.595	0.39	188.6	5213	22	108	229.53	4.1	68.1
274594	12.19	11.92	0.56	0.455	188.6	5225	22	108	234.2	4.1	68.4
274664	12.09	12.09	0.52	0.52	188.6	5263	23	108	233.76	4.1	68.8
274734	12.29	11.62	0.6	0.335	188.6	5288	23	108	224.97	4.1	69.2
274804	11.71	12.19	0.37	0.56	188.6	5300	23	108	230.04	4.1	69.5
274884	12.02	11.9	0.495	0.45	188.6	5338	23	108	229.04	4.1	69.9
274954	12.32	11.58	0.61	0.315	188.6	5375	23	108	224.27	4.1	70.4
275014	11.96	11.71	0.47	0.37	188.6	5388	23	108	230.28	4.1	70.7
275094	12.06	11.79	0.51	0.405	188.6	5413	23	108	224.37	4.1	71
275164	11.61	12.07	0.33	0.515	188.6	5425	25	106	224.3	4.1	71.3
275235	11.6	12.1	0.325	0.525	188.6	5463	25	106	225.4	4.1	71.5
275305	11.88	11.82	0.44	0.415	188.6	5488	25	106	223.84	4.1	72
275385	12.15	11.67	0.545	0.355	188.6	5525	25	106	220.97	4.1	72.5
275455	11.89	12.01	0.445	0.49	188.6	5525	25	106	219.2	4.1	72.7
275515	12.27	11.71	0.59	0.37	188.6	5538	25	106	216.84	4.1	72.9
275595	11.71	12.07	0.37	0.515	188.6	5563	25	106	221.21	4.1	73.2
275665	11.84	12.11	0.425	0.53	188.6	5600	25	106	222.05	4.1	73.5
275735	11.62	12.18	0.335	0.555	188.6	5600	24	106	224.35	4.1	73.8
275835	12.39	12.03	0.64	0.5	188.6	5613	24	106	219.22	4.1	73.9
275906	11.85	12.18	0.43	0.555	188.6	5625	24	106	219.94	4.1	74.1
275986	11.75	12.18	0.39	0.555	188.6	5638	24	106	220.66	4.1	74.3
276046	12.29	11.84	0.6	0.425	188.6	5650	24	106	216.46	4.1	74.5
276116	12.1	11.98	0.525	0.48	188.6	5675	24	106	221.68	4.1	74.8
276196	11.8	11.96	0.41	0.47	188.6	5650	24	106	223.43	4.1	75.1
276256	11.85	12.15	0.43	0.545	188.6	5600	24	106	219.84	4.1	75.3
276336	11.75	12.36	0.39	0.625	188.6	5538	25	106	220.04	4.1	75.5